




The 6m Cylinder



6m Cylinder Design Features



The Structure

- Footprint: 6.15 m (20'2")
- Height: 2.55 m (8'3")
- Floor surface area: 28.27 m² (92'7")
- Cover: Fabric cover with Fire Classification: NFPA 701 sm scale
- Location: Indoor only
- Screen: High gain tensioned fabric 38m² surface area
- Screen dimensions: 2.1m x 18.85m (6'8" x 61'8")
- Branding options: Full 360° printable external cover
- Sitting capacity: 1-12
- Standing capacity: 1-15
- Construction plant equipment: None

Rigging

- Rigging Crew: 2-4 persons
- Build time: 3-5 hours (depending on site access/crew)
- Strike time: 1 hour
- Vehicle access & transportation: Transit type van
- Anchoring/ballast: None
- Technical assistance: Single technician to support delivery
- Training: Rigging and technical delivery training available.
- Health & Safety: Full H&S documentation pack available on request.

AV Hardware

- Igloo media server: PC based, Intel i7, Dual Nvidia GPU
- Projection system: 5 x 2700 lumen HD 1920 x 1040 projectors
- Sound system: 500W 5.1 Surround
- Wireless tablet for system control: Apple iPad or Android
- Power supply needed at 240V: 2 x 13 amp / 1 x 16 amp Ceeform
- Power supply needed at 110V: 2 x 20 amp
- Optional upgrades: 3D projection system, multi-input hardware capture system, wireless controllers, sound system

Logistics

- Package size: 1 x crate = 2.6m L x 1m W x 1.2m H
- Package weight: 400kg
- Manufacture lead time: 2 weeks

